

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Over Frame	Clear Opening	Frame Depth			
TFM001		800x800	680x680	70	Ductile iron	63KGS	B125
TFM002		850x850	600	100	Ductile iron	65KGS	D400
TFM003		300X300	266	15	Ductile iron	4.5KGS	A15
TFM004		850x850	600	75	Ductile iron	45KGS	C250
TFM005		350x500	230x380	125	Gray iron	55KGS	A15
TFM006		300x300			Gray iron	6KGS	
		400x400				9KGS	
		500x500				15KGS	
		600x600				24KGS	
		700x700				32KGS	
TFM007		1990X850	1820X700	160	Ductile iron	788KGS	D400
		1380X850	1230X700	160	Ductile iron	534KGS	D400

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Over Frame	Clear Opening	Frame Depth			
TFM008		850	600	100	Ductile iron	64KGS	D400
TFM009		1100X650	910X460	95	Ductile iron	77.5KGS	B125
TFM010		460x460	350X350	55	Ductile iron	19KGS	B125
		560x560	450X450	55		28KGS	B125
		660x660	550X550	55		38KGS	B125
		760x760	650X650	55		48KGS	B125
		860x860	750X750	55		58KGS	B125
		960x960	850X850	55		68KGS	B125
TFM011		1380X870/900	1230X700	150	Ductile iron	220KGS	D400
TFM012		1380X850	1230X700	160	Ductile iron	280KGS	D400
TFM013		1990X850	1820X700	160	Ductile iron	402KGS	D400
						788KGS	D400
TFM014		1380X850	1230X700	160	Ductile iron	280KGS	D400
						534KGS	D400
TFM015		666x646	500x500	100	RECESSED COVER	46KGS	B125
		790X790	600x600	100	RECESSED COVER	66KGS	B125

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Over Frame	Clear Opening	Frame Depth			
TFM016		652x648x80			Ductile iron	47KGS	
TFM017		652x648x80			Ductile iron	46KGS	
TFM018		950x600x250			Ductile iron	122KGS	
TFM019		620x1120x132			Ductile iron	45KGS	
Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Over Frame	Clear Opening	Frame Depth			
TFM020		750x600	560	70	Ductile iron	35KGS	
TFM021		900x650	600	120	Ductile iron	87KGS	
		850x640	600	80		50KGS	
		850x650	600	100		60KGS	
		800x630	600	70		40KGS	
TFM022		900x700	670	100	Ductile iron	70KGS	
TFM023		960x740			Ductile iron	50KGS	
					Ductile iron	55KGS	
					Ductile iron	65KGS	

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Over Frame	Clear Opening	Frame Depth			
TFM024		900x700	650	100	Ductile iron	70KGS	
TFM025		880x645	600	90	Ductile iron	60KGS	
TFM026		1050x790	700	110	Ductile iron	125KGS	
TFM027		1100x780		100	Ductile iron	70KGS	
TFM028		1005x750	640	150	Ductile iron	120KGS	
TFM029		850x640	600	100	Ductile iron	75KGS	
		950x740	700	100		95KGS	
		980x780	700	90		115KGS	
		1000x780	650	90		101KGS	
		1100x900	800	110			
TFM030		810x640	600	110	Ductile iron	50KGS	
TFM031		800x700	670	50	Ductile iron	29KGS	
		800x700	670	70	Ductile iron	35KGS	
		800x700	670	70	Ductile iron	45KGS	

SYSTEMS SOLUTIONS

FLUID SYSTEMS SOLUTIONS


Item No	Picture	Specification(mm)	Material	Weight	Test Load
TFG001		750x450	Ductile iron	40KGS	220KN
TFG002		750x450	Ductile iron	40KGS	220KN
TFG003		750x450	Ductile iron	43KGS	400KN
TFG004		600x400	Ductile iron	11KGS	125KN
		600x400	Ductile iron	20KGS	250KN
TFG005		410X710	Ductile iron	38KGS	220KN
TFG006		365X980-(Box,Double grates)	Ductile iron	95KGS	
TFG007		365X490-(Box,Single grates)	Ductile iron	55KGS	

FLUID SYSTEMS SOLUTIONS


Item No	Picture	Specification(mm)	Material	Weight	Test Load
TFG008		400x500x50	Ductile iron	13KGS	
		600x600x50		27KGS	
		700x700x50		37KGS	
		800x800x50		50KGS	
		900x900x50		60KGS	
		1000x400x50		27KGS	
		1000x500x50		37KGS	
		1000x500x70		47KGS	
		1100x550x70		47/56KGS	
		1200x600x70		65/70KGS	
		1300x650x50		78KGS	
TFG009		530x490x70;400x400	Ductile iron	30KGS	C250
		630x590x70;500x500	Ductile iron	35KGS	B125
		730x690x70;600x600	Ductile iron	38KGS	B125
TFG010		440X700	Ductile iron	55KGS	
TFG011		1040x990x40	Ductile iron	50KGS	
TFG012		1040x990x40	Ductile iron	55KGS	
TFG013		1040x990x40	Ductile iron	57KGS	

SYSTEMS SOLUTIONS

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFC001		455	400	50	Ductile iron	9KGS	A15
		655	600	60		19.5KGS	B125
TFC002		550	500	60	Ductile iron	13.6KGS	B125
TFC003		550	500	60	Ductile iron	21KGS	B125
TFC004		700	600	60	Ductile iron	32KGS	C250
TFC005		966x422	835x335	78	Ductile iron	91KGS	D400
TFC006		956X150		150	Ductile iron	18KGS	
TFC007		QL 900	900X900	50	Ductile iron	55KGS	8Mt
		QL 1200	1200X1200	60		100KGS	
		QL 1500	1500X1500	60		130KGS	
TFC008		155x335x15			Ductile iron	3KGS	
		150x250x20				1.5KGS	

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFN001		545	400	35	Ductile iron	18KGS	B125
		645	500	45		27KGS	B125
TFN002		940 flat	800	100	Ductile iron	86KGS	D400
		930 concave	800	100	Ductile iron	88KGS	D400
TFN003		890X775	710	40	Ductile iron	75KGS	C250
TFN004		620X620		307	Ductile iron	45KGS	
TFN005		748X748	600X600	35	Ductile iron	49KGS	B125
TFN006		400X400	352X352	34	Ductile iron	22KGS	C250
TFN007		520X125		20	Ductile iron	3.8KGS	C250

FLUID SYSTEMS SOLUTIONS

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFN008		460	400	50	Ductile iron	10KGS	B125
		560	500	50	Ductile iron	12KGS	
TFN009		700	600	100	Ductile iron	40KGS	D400
		620	500	75	Ductile iron	21KGS	C250
TFN010		605	500	60	Ductile iron		C250
		750	600	100	Ductile iron	59KGS	D400
		750	600	100	Ductile iron	49KGS	C250
TFN011		650x650	570x570	65	Ductile iron	32KGS	C250
TFN012		850x850	615	75	Ductile iron	55KGS	C250
		850x850	615	100	Ductile iron	65KGS	D400
TFN013		270X190	140X185	270	Ductile iron	15KGS	
		220X170	115X114	185	Ductile iron	5KGS	
TFN014		220X170	115X114	185	Ductile iron	5.3KGS	

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFN015		400X400	220X220	150	Ductile iron	14KGS	B125
TFN016		400X400	240X240	150	Ductile iron	14KGS	B125
TFN017		810X810	600	100	Ductile iron	55KGS	D400
TFN018		712X712	555	98	Ductile iron	42KGS	D400
TFN019		670X670	544	38	Ductile iron	25KGS	C250
TFN020		133X133	103	27	Ductile iron	1.3KGS	
TFN021		850X850	600	100	Ductile iron	60KGS	D400

FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFN022		850x850	615	75	Ductile iron	44KGS	C250
		850x850	615	100	Ductile iron	58KGS	D400
TFN023		800x800	610	90	Ductile iron	38KGS	B125
		830x830	610	90	Ductile iron	50KGS	D400
TFN024		800x800	615	100	Ductile iron	43KGS	B125
TFN025		400x400	320x320	50	Gray iron	13KGS	B125
		500x500	420x420	50	Gray iron	19KGS	B125
		600x600	520x520	50	Gray iron	28KGS	B125
TFN026		1000X700	900X600	100	Ductile iron	75KGS	C250
		1000X700	900X600	100	Ductile iron	85KGS	D400
TFN027		700	550	100	Ductile iron	35KGS	C250
		800	650	100	Ductile iron	40KGS	C250
TFN028		600X400		50	Ductile iron	20KGS	B125


FLUID SYSTEMS SOLUTIONS

Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFN029		870x870	600	120	Ductile iron	100KGS	D400
TFN030		703x703	600X600	100	Ductile iron	68KGS	D400
		680x680	600X600	75	Ductile iron	59KGS	D400
TFN031		765x765	600X600	100	Ductile iron	83KGS	D400
TFN032		750x750	600X600	100	Ductile iron	93KGS	D400
TFN033		684x684	600	40	Ductile iron	35KGS	B125
TFN034		550x750	400	75	Ductile iron	68KGS	D400
TFN035		710x710	600	100	Ductile iron	93KGS	D400

FLUID SYSTEMS SOLUTIONS




Item No	Picture	Specification(mm)			Material	Weight	Test Load
		Out Size	Inner Size	Height			
TFN036		505x480	434	100	Ductile iron	46KGS	D400
TFN037		300x300	150	100	Ductile iron	24KGS	D400
TFN038		805	600	100	Ductile iron	44KGS	D400
TFN040		500x220		18	Ductile iron	7KGS	D400
		502x324		19	Ductile iron	15KGS	D400
TFN041		536X228X36			Ductile iron	9.5KGS	C250
TFN0042		421X421	350X350	22	Ductile iron	8.5KG	B125
		525X525	440X440	24	Ductile iron	13KG	B125
TFN0043		636X592	528X528	28	Ductile iron	21KG	B125
TFN0044		850X850	600	90	Ductile iron	47KG	B125
		850X850	600	120	Ductile iron	55KG	C250

FLUID SYSTEMS SOLUTIONS

TFN45		805*805	600	100	Ductile iron	43KG	D400
TF46		1000*450	1000*350	75	Ductile iron	62KG	D400
TF47		560*460		120	Ductile iron	72KG	D400
TF48		615*615	450*450	75	Ductile iron	37KG	C250
TF49		760*760	600	100	Ductile iron	82KG	D400
TF50		720*720	580	65	Ductile iron	31.5KG	C250
TF51		705	580	45	D uctile iron	25KG	B125
TF52		728*728	580	82	Ductile iron	37KG	D400
Tf53		750*400/ 750*500		75	Ductile iron	68KG	D400

SYSTEMS SOLUTIONS

FLUID SYSTEMS SOLUTIONS

TF54		300*300	150*150	100	Ductile iron	25KG	D400
TF55		705*705 2 triangle	605*605	100	D uctile iron	72KG	D400
TF56		668*470	550*360	67	Ductile iron	42KG	D400
TF57		1055*755 2 triangle	600*900	100	Ductile iron	132KG	D400
TF58		800*800 2 triangle	600*600	100	Ductile iron	82KG	D400
TF59		530*520	370*430	100	Ductile iron	36KG	D400

FLUID SYSTEMS SOLUTIONS

FLUID SYSTEMS SOLUTIONS

TF60		RECESSED COVER	600*600	100	Ductile iron	82KG	D400
TF61		850*850	600	80	Ductile iron	50KG	D400
TF62		500*500*50	GRATING	50	Ductile iron	21KG	C250
		600*600*60		60	Ductile iron	30KG	C250

FLUID SYSTEMS SOLUTIONS